Business & Professional Regulation





BCIS Home | Log In | User Registration | Hot Topics | Submit Surcharge | Stats & Facts | Publications | Contact Us | BCIS Site Map | Links |





<u>Product Approval Menu</u> > <u>Product or Application Search</u> > <u>Application List</u> > **Application Detail**

FL17241-R9 Application Type Revision 2023 Code Version **Application Status** Approved

*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by

the POC and/or the Commission if necessary.

Comments

Archived

Product Manufacturer MiTek Inc.

Address/Phone/Email 16023 Swingley Ridge Road

Chesterfield, MO 63017 (800) 328-5934 bpr@mii.com

Authorized Signature Erin Walden

bpr@mii.com

Technical Representative Erin M. Walden

Address/Phone/Email 16023 Swingley Ridge Road

Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com

Quality Assurance Representative Erin M. Walden

16023 Swingley Ridge Road Address/Phone/Email

Chesterfield, MO 63017 (952) 898-8635 ewalden@mii.com

Category Structural Components Subcategory **Wood Connectors**

Compliance Method Evaluation Report from a Product Evaluation Entity

Evaluation Entity ICC Evaluation Service, LLC Quality Assurance Entity ICC-ES Evaluation Service, LLC

Quality Assurance Contract Expiration Date 10/31/2026

Validated By ICC Evaluation Service, LLC.

FL17241 R9 COI ICC-ES Certification of Independence for Evaluation Certificate of Independence

2024 (1).pdf

Standard Year ANSI/AWC NDS 2018 **ASTM D7147** 2011

Equivalence of Product Standards

Referenced Standard and Year (of Standard)

Certified By

Sections from the Code

Product Approval Method 1 Option C

Date Submitted 10/24/2024
Date Validated 10/24/2024

Date Pending FBC Approval

Date Approved 10/26/2024

Summary of Products

FL #	Model, Number or Name	Description
17241.1	BPH15925-BPH1514, BPH17925- BPH1716, BPH27925, BPH2795, BPH27112-BPH2716, BPH31925- BPH3114	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.2	BPH35925 - BPH35118, BPH3512- BPH3532, BPH52925, BPH5295- BPH5218, BPH5595, BPH55118- BPH5518, BPH71925 - BPH7195, BPH7110, BPH71112-BPH7124	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.3	BPHA15925-BPHA1514, BPHA17925-BPHA1716, BPHA2095- BPHA2016, BPHA2395-BPHA2318, BPHA25925-BPHA2528, BPHA31925-BPHA3114, BPHA35925-BPHA3532, BPHA2095- 2 - BPHA2016-2, BPHA4295- BPHA4216, BPHA2395-2 - BPHA230-2, BPHA55725- BPHA5526, BPHA71925-BPHA7124	Top Mount Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Approved for use in HVHZ using MAX nailing option only.		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.4	BPHA310, BPHA210-2, BPHA48, BPHA410, BPHA412	Top Mount Hangers
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: Approved for use in HVHZ using MAX nailing option only.		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.5	HBPH35925, HBPH3595, HBPH35112, HBPH35118, HBPH3512, HBPH3514, HBPH3516, HBPH3518, HBPH3520, HBPH3522, HBPH3524, HBPH3526, HBPH3528, HBPH3530, HBPH5116, HBPH5118, HBPH5120, HBPH5122, HBPH5124, HBPH5126, HBPH5128, HBPH5130,	Beam and Purlin Hanger

	HBPH55725, HPBH55925, HBPH5595	ding Code Online
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.6	HBPH55112, HBPH55118, HBPH5512, HPBH5514, HBPH5516, HBPH5518, HBPH5520, HBPH71925, HBPH7195, HBPH71112, HBPH71118, HBPH7114, HBPH7116, HBPH7118, HBPH7120, HBPH7122, HBPH7124, HBPH7126, HBPH7128	Beam and Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.7	HDO24, HDO34, HDO24-2, HDO44	Top Mount Hanger
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.8	HDO26, HDO28, HDO210, HDO212, HDO214, HDO216, HDO36, HDO38, HDO310, HDO312, HDO314, HDO316, HDO26-2, HDO28-2, HDO210-2, HDO212-2, HDO214-2, HDO216-2, HDO46, HDO48	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.9	HDO410, HDO412, HDO414, HDO416, HDO210-3, HDO212-3, HDO214-3, HDO216-3, HDO66, HDO68, HDO610, HDO612, HDO614, HDO616	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.10	HL26, HL28, HL210, HL212, HL214	Light Gage Purlin Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.11	HLBH-27xxx, HLBH-35xxx, HLBH-52xxx, HLBH-55xxx, HLBH-71xxx	Beam Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.12	JH20, JH30	Joist Hanger

Florida Building Code Online				
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf		
17241.13	JPF24, JPF26	Pulin Hanger		
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf		
17241.14	KEGQ3, KEGQ5, KEGQ7	Top Mount Glulam Girder Hanger		
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf		
17241.15	KF44	Panel Hanger		
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf		
17241.16	KF46	Panel Hanger		
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf		
17241.17	KGLS35, KGLST35, KGLS37, KGLST37, KGLS39, KGLST39, KGLS55, KGLST55, KGLS57, KGLS757, KGLS77, KGLST77, KGLS79, KGLS779, KHGLS5, KHGLST5, KHGLS7, KHGLST7, KHGLS9, KHGLS79,	Glulam Saddle Hangers		
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf		
17241.18	KGLT3, KGLT4, KGLT5, KGLT6, KGLT7, KGLT9, KHGLT3, KHGLT4, KHGLT5, KHGLT6, KHGLT7, KHGLT9, KHGLT11	Glulam Beam Hangers		
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf		
17241.19	KHC55, KHC56, KHC57, KHC59, KHC75, KHC76, KHC77, KHC79, KHC95, KHC96, KHC97, KHC99, KHC115, KHC116, KHC117, KHC119, KHCST2, KHCST3, KHCST4, KHCSTR2, KHCSTR3, KHCSTR4	KHC Hinge Connector and KHCST / KHCSTR Seismic Straps		
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party:		

Go to Page

Design Pressure: N/A Other:		Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf
17241.20	KHHB3, KHHB5, KHHB7, KGB3, KGB5, KGB7, KHGB5, KHGB7	Top Mount Hanger
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other:		Installation Instructions FL17241 R9 II ESR-3444 Oct 2024.pdf Verified By: ICC Evaluation Service, LLC Created by Independent Third Party: Evaluation Reports FL17241 R9 AE ESR-3444 Oct 2024.pdf

Back Next

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: Privacy Statement :: Accessibility Statement :: Refund Statement

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click here.

Product Approval Accepts:





Page 1 / 2 2 2